



AERONAUTICAL INFORMATION SERVICES DIVISION

P.O.Box - 59  
ULAANBAATAR - 17120  
MONGOLIA  
E-mail: notam@mcaa.gov.mn  
Web: www.ais.mn

TEL: +976-71287130  
+976-71287131  
+976-71287127  
FAX: +976-71283438  
AFN: ZMUBYOXX

PRE-FLIGHT INFORMATION

TYPE : NORMAL ROUTE  
FORMAT : BULLETIN

QUERY: ADHOC  
SYSTEM TIME: 22-08-12 17:20

- B U L L E T I N -

**MML421**

BULLETIN VALIDITY PERIOD:22-08-12 18:20 TO 22-08-13 03:20

CONSULT AIP AND AIP SUP IN FORCE FOR PERM AND LONG-TERM INFORMATION.

OUTPUT DEVICE FOR MASTER: MAIL

TAM SELECTED : NOTAM  
TRAFFIC : IV  
PURPOSE : NBOM  
SCOPE : AEW  
FLIGHT LEVEL : 000/999  
EMAIL RECIPIENTS : MMLPIB@MCAA.GOV.MN  
AERODROME LIST  
ZMCK(DEP) UCFM(DEST) UCFL(ALTN) UCFO(ALTN) UAAA(ALTN)  
INFORMATION REGION LIST  
000/999:ZMUB ZWUQ UCFM UAAA UCFO

**AERODROME INFORMATION**

**ZMCK - CHINGGIS KHAAN/ULAANBAATAR**

NOTAM  
ATM

ZMUB A0337/22

FROM: 22-08-11 00:00 TO: 22-08-24 23:59

E) TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/22 WEF 11 AUG 2022  
CHANGES OF SID

**UCFM - BISHKEK/MANAS/BISHKEK**

NOTAM  
AGA

UCFM A0144/22

FROM: 22-08-12 14:00 TO: 22-08-13 08:00

Normal Route Briefing

E) THROUGH TAXIING VIA APRON LIMA PROHIBITED BETWEEN TWY D AND TWY C.

TAXIING TO STANDS L1, L2, L3, L4, L5, L6, L7, L8, L9, L10, L11, L12,

L13, L14, L15, L16, L17, L18 VIA TWY D.

TOWING FROM STAND L8 MAKE TAIL TO EAST.

TAXIING FROM STANDS L16, L17, L18 BY OWN THRUST VIA TWY C.

UCFM A0141/22

FROM: 22-08-12 14:00 TO: 22-08-13 08:00

E) STANDS L9, L19 CLOSED DUE TO MAINT.

UCFM A0135/22

FROM: 22-08-05 14:00 TO: 22-10-28 21:00

D) MON FRI 1400-2100

E) RWY 08/26 CLOSED DUE TO MAINT.

CNS

UCFM A0046/22 REPLACED BY UCFM A0120/22

FROM: 22-07-26 10:25 TO: 22-09-30 18:00

E) ILS RWY 08 CAT II DOWNGRADED TO CAT I

**UCFL - YSYKKUL/TAMCHY**

NOTAM

NIL

**UCFO - OSH/OSH**

NOTAM

AGA

UCFM A0080/22 REPLACED BY UCFM A0119/22

FROM: 22-07-25 10:05 TO: 22-09-01 10:30

D) MON TUE THU SAT SUN 0400-1030

E) RWY 12/30 CLOSED DUE TO MAINT.

**UAAA - ALMATY/ALMATY**

NOTAM

AGA

UAAK A3168/22 REPLACED BY UAAK A3763/22

FROM: 22-08-12 11:21 TO: 22-09-16 12:00

E) RWY 05L/23R CLSD. TAXIING ONLY BY CLEARANCE.

UAAK A3692/22

FROM: 22-08-09 14:15 TO: 22-08-31 00:00

E) REFUELING NOT AVBL DUE TO LACK OF JET FUEL FOR:  
ALL ACFT WITH TECHNICAL LANDING FOR REFUELING.

UAAK A3463/22

FROM: 22-07-29 09:13 TO: 22-10-29 09:00

E) ACFT STAND 7 MANEUVERING CENTRE LINE LGT U/S DUE TO MAINT.

UAAK A3321/22

FROM: 22-07-21 16:55 TO: 22-08-21 12:00

Normal Route Briefing

---

E) ACFT STAND 48 TAXIING BY TOWING.

UAAK A3157/22

FROM: 22-07-14 12:01 TO: 22-10-14 12:00

E) WHEN RVR LESS THAN 350M TURN AT 180 DEG ON THE THR 23R,THR 23L  
AND AT TURNING BAY A IS PROHIBITED DUE TO ABSENCE OF DEEPENED  
LIGHTS.

UAAK A2996/22

FROM: 22-07-08 10:42 TO: 22-10-08 10:20

E) ACFT STAND 6 MANEUVERING CENTRE LINE LGT U/S DUE TO MAINT.

UAAK A2435/22

FROM: 22-06-09 11:37 TO: 22-09-09 12:00

E) ACFT STAND 26 AVAILABLE FOR ACFT WITH WING SPAN NO MORE THAN  
B757-200.

UAAK A2185/22

FROM: 22-05-25 12:00 TO: 22-08-25 12:00

E) ACFT STANDS 60, 60A TAXIING BY TOWING.

UAAK A1076/22 REPLACED BY UAAK A2049/22

FROM: 22-05-17 11:26 TO: 22-08-17 12:00

E) APRON 5 TAXIING AFTER FOLLOW-ME-CAR,  
AIRCRAFT WITH WINGSPAN 42-48 M - BY TOWING,  
WITH WINGSPAN 48 M AND MORE - PROHIBITED.

UAAK A0906/22 REPLACED BY UAAK A2048/22

FROM: 22-05-17 11:25 TO: 22-08-17 12:00

E) JUNCTION BETWEEN APRON 1 AND APRON 3 CLSD.  
ACFT TAXIING AT THIS AREA PROHIBITED.

UAAK A1021/22 REPLACED BY UAAK A2047/22

FROM: 22-05-17 11:24 TO: 22-08-17 12:00

E) ACFT STAND 47 USE ONLY ACFT WITH WING SPAN NOT MORE THAN 35M.

CNS

UAAK A3490/22

FROM: 22-08-08 02:00 TO: 22-11-07 06:00

E) SURFACE MOVEMENT RADAR U/S.  
RWY 23R/L ILS ICAO CAT 2 PROVIDED.

## SUPRA-REGIONAL EN-ROUTE INFORMATION

ZWUQ- URUMQI, ZYSH- SHENYANG

NOTAM  
ATM

ZBBB A1704/22

FROM: 22-08-10 16:00 TO: 22-08-24 15:59

E) TRIGGER NOTAM  
AIP CHINA AMENDMENT NR.08/2022(2022-7-1) WILL BE EFFECTIVE FROM

Normal Route Briefing

1600UTC ON 10 AUG 2022.

MAIN CHANGES AS FOLLOWS:

- 1.ZLLLAR10 ESTABLISHED.
- 2.BIPOM, BOKIV, ONENA ESTABLISHED. V67, W619 ADJUSTED.
- 3.BOSE VOR 'BSE' RELOCATED, APUPA, MEVUL, TESIL ESTABLISHED, MENUD, ZUDUX WITHDRAWN. ATS ROUTES A599, R339, V86 ADJUSTED.
4. NEW APRON, TWYS AND PARKING STANDS ADDED IN HANGZHOU/XIAOSHAN AIRPORT(ZSHC).
- 5.NDB FLIGHT PROCEDURE DELETED AND ATCSMAC CHART ADDED IN HOHHOT/BAITA AIRPORT(ZBHH).
- 6.NEW CONSTRUCTION AREA ADDED IN XI'AN/XIANYANG AIRPORT(ZLXY).
- 7.NEW APN AND PARKING STANDS ADDED IN ZHENGZHOU/XINZHENG AIRPORT(ZHCC).
- 8.NEW CONSTRUCTION AREA ADDED IN GUIYANG/LONGDONGBAO AIRPORT(ZUGY).
- 9.FLIGHT PROCEDURE ADJUSTED IN NANNING/WUXU AIRPORT(ZGNN).
- 10.NEW RWY HOLDING POSITIONS ADDED IN BEIJING/CAPITAL AIRPORT (ZBAA).
- 11.DEPARTURE AND ARRIVAL D-ATIS FREQ ADJUSTED IN URUMQI/DIWOPU AIRPORT(ZWWW).
- 12.FRIGHT PROCEDURE ADJUSTED IN BEIJING/DAXING AIRPORT(ZBAD).
- 13.SUP04/22(2022-7-1) ABOUT CONSTRUCTION AREA PUT IN USED IN LANZHOU/ZHONGCHUAN AIRPORT(ZLLL).  
LOG ON AIS CHINA WEBSITE: WWW.EAIPCHINA.CN FOR PREVIEWING THE WHOLE INFORMATION.

INFO

ZBBB A0032/22 REPLACED BY ZBBB A1707/22

FROM: 22-07-04 09:41 TO: 22-12-31 15:59 EST

E) SAFETY GUIDANCE

1. REMINDER FOR PILOTS

(1)FOLLOW ATC'S INSTRUCTIONS STRICTLY IN YOUR OPERATION. IF YOU HAVE ANY QUESTION, PLEASE CONFIRM AND VERIFY IT WITH ATC.

(2) MONITOR THE FREQUENCY AND REPEAT ATC'S INSTRUCTIONS ATTENTIVELY, ESPECIALLY THOSE RELATING TO ROUTE, ALTITUDE, FREQUENCY, APPROACH AND DEPARTURE

ROUTES, GROUND TAXIING, IN ORDER TO AVOID MISUNDERSTANDINGS.

A SPECIAL REMINDER FOR THE AIRCREW: CAUTION WITH THE ZBAA AND ZBAD'S

APPROACH AND DEPARTURE PROCEDURES AND THE GROUND TAXIING ROUTES, THEY ARE COMPLICATED.

(3) FLIGHT LEVELS IN CHINA ARE MEASURED USING THE METRIC SYSTEM. WHEN FLYING

IN AND OUT OF CHINA, PAY ATTENTION TO THE FLIGHT LEVEL CONVERSION. THE RVSM

AIRSPACE IS IMPLEMENTED IN ACCORDANCE WITH CHINA'S AIP.

(4) DURING YOUR FLIGHT MISSION IN CHINA, THE EMERGENCY FREQUENCY 121.5

MHZ SHALL BE MONITORED ALL THE TIME TO AVOID COMMUNICATION FAILURE.

2. REMINDER FOR AIRLINES

DANGEROUS GOODS RELATING TO EPIDEMIC PREVENTION CARRIED BY COMMERCIAL

FLIGHTS, SUCH AS THE LITHIUM BATTERIES IN RESPIRATORS, ALCOHOL-BASED HAND SANITIZERS,SHALL BE IN COMPLIANCE WITH ICAO DOC 9284 (TECHNICAL INSTRUCTIONS FOR THE SAFE TRANSPORT OF DANGEROUS GOODS BY AIR).

UCFM- BISHKEK, UCFO- OSH

Normal Route Briefing

NOTAM  
INFO

UCFM A0094/22

FROM: 22-08-11 00:00 TO: 22-08-24 23:59  
E) AIRAC EFFECTIVE DATE 11 AUG 2022 - NIL.

UAAA- ALMATY, UACN- NUR-SULTAN, UAIH- SHYMKENT, UATT- AKTOBE

NOTAM  
INFO

UAAK K4128/22

FROM: 22-08-11 00:00 TO: 22-08-24 23:59  
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 003/2022 WEF 11 AUG 2022.

CHANGES:

GEN

GEN 2.5 INFORMATION UPDATED

GEN 3.1 INFORMATION UPDATED

GEN 3.5 INFORMATION UPDATED

ENR

ENR 1.6 INFORMATION UPDATED

ENR 2.1 INFORMATION UPDATED

ENR 2.2 INFORMATION UPDATED

ENR 3.1 INFORMATION UPDATED

ENR 3.2.1 - 3.2.3, 3.2.7 INFORMATION UPDATED

ENR 4.1 INFORMATION UPDATED

ENR 4.4 INFORMATION UPDATED

ENR 5.1 INFORMATION UPDATED

ENR 5.3 INFORMATION UPDATED

ENR 6 CHANGES IN ENROUTE CHARTS

AD

AD 1.5 INFORMATION UPDATED

UATE 2.2, 2.3, 2.12, 2.13, 2.19, 2.20 INFORMATION UPDATED

UAAA 2.8, 2.20 INFORMATION UPDATED

UAAT 2.8 INFORMATION UPDATED

UAIH 2.6, 2.20, 2.23 INFORMATION UPDATED

UAUU 2.19 INFORMATION UPDATED

UASP 2.19 INFORMATION UPDATED

UATT 2.7, 2.19 INFORMATION UPDATED

UATG 2.19 INFORMATION UPDATED

UADD 2.19 INFORMATION UPDATED

UAKD 2.19 INFORMATION UPDATED

UASZ 2.19 INFORMATION UPDATED

UASK 2.19 INFORMATION UPDATED

UATZ 2.4 INFORMATION UPDATED

UACK 2.22 INFORMATION UPDATED

AD 2.24 CHANGES IN AERONAUTICAL CHARTS.

THE ACTUAL VERSION OF EAIP IS AVAILABLE FOR DOWNLOADING ON WEBSITE  
WWW.ANS.KZ.

UAAK K4396/22

FROM: 22-07-11 11:25 TO: PERM

E) SEASONAL SNOW PLAN FOR THE WINTER SEASON 2021/2022 COMPLETELY  
WITHDRAWN. AIC A 002/2021 REFERS.

UAAK K2172/22

FROM: 22-04-08 11:51 TO: PERM

E) INFORMATION CONTAINED IN SUP 001/22, 002/22, 003/22, 004/22,  
005/22 NOT INCORPORATED IN AIRAC AIP AMDT 002/2022.  
INFORMATION CONTAINED IN AIC 001/2022, 002/2022 NOT INCORPORATED IN  
AIRAC AIP AMDT 002/2022.  
REFERENCE: AMDT COVER SHEET.

**REGIONAL EN-ROUTE INFORMATION****ZMUB - ULAANBAATAR**NOTAM  
ATM

FROM: 22-08-01 00:00 TO: 22-10-05 23:59  
 E) ATS RTE G401 ESTABLISHED AS FLW:  
 SEGMENT: TAISHIR VOR/DME (VGA)-IMBAT-TEBUS  
 TRACK MAG: 291/111 286/100  
 DIST: 37.6KM 415.8KM  
 UPPER/LOWER LIMITS:14600M MSL/7650M MSL  
 LATERAL LIMITS:30KM  
 DIRECTION OF CRUISING LEVEL: EVEN/ODD

ZMUB A0401/22

FROM: 22-07-09 00:00 TO: 22-10-05 23:59  
 E) ATS RTE H8 UPPER LIMIT CHANGED TO 14600M.  
 F) 2400M AMSL G) 14600M AMSL

ZMUB A0356/22

FROM: 22-07-09 00:00 TO: 22-10-05 23:59  
 E) UPPER LIMIT DULAN-TAISHIR (VGA) SEGMENT OF ATS RTE H6 CHANGED TO  
 14600M.  
 F) 3800M AMSL G) 14600M AMSL

ZMUB A0355/22

**ZWUQ - URUMQI**NOTAM  
CNS

FROM: 22-05-24 04:30 TO: 22-08-31 03:00 EST  
 E) QIEMO VOR/DME 'QIM' 114.3MHZ/CH90X U/S.

ZBBB A1144/22 REPLACED BY ZBBB A1146/22

INFO

FROM: 22-06-30 12:10 TO: 22-08-30 15:59 EST  
 E) ADD NEW TOWER WITH DETAILS AS FOLLOWS,  
 PSN: 943M WEST OF RWY25 THR, 827M NORTH OF RCL(CRANE OPERATING  
 RADIUS 50M).  
 ALL THE DATA BASED ON RWY CENTER:  
 OBSTACLE TYPE BRG(MAG)(DEG) DIST(M) ELEVATION(M)  
 FLIGHT PROCEDURE / TAKE - OFF FLIGHT PATH AREA AFFECTED  
 ATC TOWER AND CRANE 027 1191 743.5  
 RNAV ILS/DME Z RWY07 FINAL APPROCH?ILS/DME Y RWY07 FINAL APPROCH

ZBBB W0146/22 REPLACED BY ZBBB W0302/22

FROM: 22-06-10 06:23 TO: 22-09-10 06:19 EST

ZBBB W0271/22

Normal Route Briefing

E) NEW TEMPORARY OBST ERECTED WITH LGT AS FLW, ALL DATA BASED ON ARP:

NR	OBSTACLE TYPE	BRG(MAG)(DEG)	DIST(M)	ELEVATION(M)
01	CRANE	144	1550	1479.0

ZBBB W0763/20

FROM: 20-12-30 16:00 TO: PERM

E) RADAR CONTROL AND ADS-B MERGING OPERATION IMPLEMENTED WITHIN URUMQI APPROACH CONTROL AREA:

1. DURING RADAR CONTROL AND ADS-B MERGING OPERATION, RADAR CONTROL SHALL IMPLEMENT WITHIN URUMQI APPROACH CONTROL AREA, THE MINIMUM HORIZONTAL RADAR SEPARATION IS 5.6KM.

2. IF RADAR CONTROL SERVICE FAILURE, ADS-B PROCEDURE SHALL IMPLEMENT WITHIN URUMQI APPROACH CONTROL AREA, THE MINIMUM HORIZONTAL SEPARATION OF AIRCRAFT ( CONTACTED WITH ADS-B) IS 10KM. FLW PROCEDURES DO NOT USE: RADAR CONTROL WITHIN URUMQI APP HAS BEEN IMPLEMENTED. THE MINIMUM HORIZONTAL RADAR SEPARATION 6KM.

**UCFM - BISHKEK**

NOTAM

NIL

**UAAA - ALMATY**

NOTAM

ATM

UAAK A2215/22 REPLACED BY UAAK A2800/22

FROM: 22-06-28 03:48 TO: PERM

E) A1A SECTOR FREQUENCY CHANGED FROM 135.5 MHZ TO 133.1 MHZ  
REF AIP ENR 2.1

**UCFO - OSH**

NOTAM

NIL

**SUPRA-REGIONAL NAV WARNINGS**

**UAAA - ALMATY, UACN - NUR-SULTAN, UAII - SHYMKENT, UATT - AKTOBE**

NOTAM

WARN

UAAK K2725/22

FROM: 22-04-29 09:49 TO: PERM

E) ASCENT OF FREE BALLOON (AERONAUTICAL STATIONS)WILL TAKE PLACE:

432149N 0770016E UAAA  
470701N 0515302E UATG  
444607N 0653134E UAOO  
425206N 0711735E UADD  
521205N 0770419E UASP  
501532N 0571321E UATT  
531757N 0633638E UAUU  
494840N 0730846E UAKK  
474623N 0674121E UAKD

DIAMETER 200 CM  
WEIGHT 0.5 KG  
AVERAGE VERTICAL SPEED 900-2000 FT/MIN  
DAILY 0000 AND 1200  
FLYING TIME 120 MIN  
GND /UP TO 120 000 FT

Normal Route Briefing

REF AIP ENR 5.3  
F) GND

G) 120000FT AGL

**REGIONAL NAV WARNINGS**

**ZMUB - ULAANBAATAR**

NOTAM

NIL

**ZWUQ - URUMQI**

NOTAM

NIL

**UCFM - BISHKEK**

NOTAM

NIL

**UAAA - ALMATY**

NOTAM

WARN

UAAK A3760/22

FROM: 22-08-13 00:01 TO: 22-08-13 03:01  
E) TEMPORARY RESTRICTED AREA ACTIVATED  
WI 3.1NM RADIUS CENTRED ON 4313N 07624E.  
F) GND G) 4200FT AMSL

UAAK A3759/22

FROM: 22-08-13 02:30 TO: 22-08-13 08:00  
E) RESTRICTED AREA UAR2 ACTIVATED.  
F) GND G) 4300FT AMSL

UAAK A3754/22

FROM: 22-08-12 03:00 TO: 22-08-12 21:00  
E) UNMANNED ACFT WILL TAKE PLACE  
WI 25 NM RADIUS CENTRED ON 4334N 07508E  
F) GND G) 5000FT AMSL

UAAK A3594/22

FROM: 22-08-07 02:00 TO: 22-08-14 14:00  
D) DAILY 0200-1400  
E) TEMPORARY RESTRICTED AREA ACTIVATED  
AREA BOUNDED BY:  
431958N 0753715E - 432014N 0760618E - 431312N 0763006E -  
431028N 0763140E - 431031N 0764227E - 430713N 0764236E -  
430359N 0755858E - 430614N 0753459E - 431958N 0753715E.  
F) GND G) FL120

UAAK A3312/22

FROM: 22-07-22 03:00 TO: 22-09-30 11:00  
D) DAILY 0300-1100  
E) TEMPORARY RESTRICTED AREA ACTIVATED  
WI 2NM RADIUS 494651N 0805328E  
F) GND G) 4200FT AMSL

UAAK A2858/22

FROM: 22-07-01 03:00 TO: 22-09-30 12:00  
D) DAILY 0300-1200  
E) TEMPORARY RESTRICTED AREA ACTIVATED  
WI 1NM RADIUS CENTRED ON 493810N 0833850E.  
F) GND G) 4200FT AMSL



Normal Route Briefing

---

FROM: 22-07-01 03:00 TO: 22-09-30 11:00  
D) DAILY 0300-1100  
E) TEMPORARY RESTRICTED AREA ACTIVATED  
WI 2NM RADIUS CENTRED ON 494307N 0813523E.  
F) GND G) 4400FT AMSL

UAAK A2857/22

FROM: 22-06-22 06:44 TO: PERM  
E) NEW RESTRICTED AREA UAR295 INSTALLED.  
RADIUS: 500M  
COORD: 495530N 0822855E  
TIME OF ACTIVITY: H24  
UPPER/LOWER LIMIT: 2000FT MSL/GND  
REF AIP ENR 5.1.  
F) GND G) 2000FT AMSL

UAAK A2691/22

FROM: 22-06-22 06:18 TO: PERM  
E) NEW RESTRICTED AREA UAR293 INSTALLED.  
RADIUS: 500M  
COORD: 502220N 0801030E  
TIME OF ACTIVITY: H24  
UPPER/LOWER LIMIT: 1700FT MSL/GND  
REF AIP ENR 5.1.  
F) GND G) 1700FT AMSL

UAAK A2690/22

FROM: 22-03-03 05:27 TO: PERM  
E) NEW RESTRICTED AREA UAR292 INSTALLED.  
RADIUS: 1500M(0.8 NM)  
COORD: 475535N 0802530E  
TIME OF ACTIVITY: H24  
UPPER/LOWER LIMIT: 4600FT MSL/GND  
REF AIP ENR 5.1.  
F) GND G) 4600FT AMSL

UAAK A0845/22

FROM: 22-03-02 11:03 TO: PERM  
E) NEW RESTRICTED AREA UAR291 INSTALLED.  
RADIUS: 1500M(0.8 NM)  
COORD: 465025N 0751300E  
TIME OF ACTIVITY: H24  
UPPER/LOWER LIMIT: 4800FT MSL/GND  
REF AIP ENR 5.1.  
F) GND G) 4800FT AMSL

UAAK A0822/22

FROM: 22-02-24 00:00 TO: PERM  
E) DANGER AREA UAD41 COMPLETELY WITHDRAWN.  
REF AIP ENR 5.1.  
F) GND G) 8700FT AMSL

UAAK A0601/22

FROM: 22-02-18 12:55 TO: PERM

UAAK A0599/22

Normal Route Briefing

E) NEW RESTRICTED AREA UAR290 INSTALLED.  
RADIUS: 1500M(0.8 NM)  
COORD: 435410N 0770110E  
TIME OF ACTIVITY: H24  
UPPER/LOWER LIMIT: 4700FT MSL/GND  
REF AIP ENR 5.1.  
F) GND G) 4700FT AMSL

UAAK A0598/22

FROM: 22-02-18 12:52 TO: PERM  
E) NEW RESTRICTED AREA UAR289 INSTALLED  
COORD: 480115N 0802215E - 480350N 0802330E - 480315N 0802525E -  
480040N 0802415E - 480115N 0802215E  
TIME OF ACTIVITY: H24  
UPPER/LOWER LIMIT: 5300FT MSL/GND  
REF AIP ENR 5.1.  
F) GND G) 5300FT AMSL

UAAK A0597/22

FROM: 22-02-18 12:46 TO: PERM  
E) NEW RESTRICTED AREA UAR288 INSTALLED.  
RADIUS: 2000M(1.1 NM)  
COORD: 433100N 0751700E  
TIME OF ACTIVITY: H24  
UPPER/LOWER LIMIT: 6200FT MSL/GND  
REF AIP ENR 5.1.  
F) GND G) 6200FT AMSL

UAAK A0575/22

FROM: 22-02-17 08:21 TO: PERM  
E) RESTRICTED AREA UAR286 ESTABLISHED  
AREA BOUNDED BY:  
491320N 0811700E - 491415N 0811800E - 491225N 0812110E - 491130N  
0812000E - 491320N 0811700E  
GND/6900FT AMSL.  
H24.  
REF AIP ENR 5.1.  
F) GND G) 6900FT AMSL

UAAK A0567/22

FROM: 22-02-17 05:58 TO: PERM  
E) RESTRICTED AREA UAR283 ESTABLISHED.  
CENTER IN 433455N 0751140E, RADIUS 1000 M (0,54 NM), GND/4900FT  
AMSL.  
H24.  
REF AIP ENR 5.1.  
F) GND G) 4900FT AMSL

UAAK A0566/22

FROM: 22-02-17 05:53 TO: PERM  
E) RESTRICTED AREA UAR281 ESTABLISHED.  
CENTER IN 460340N 0732650E, RADIUS 1500 M (0,8 NM), GND/4600FT AMSL.  
H24.  
REF AIP ENR 5.1.  
F) GND G) 4600FT AMSL

UAAK A0565/22

FROM: 22-02-17 05:44 TO: PERM

Normal Route Briefing

---

E) RESTRICTED AREA UAR282 ESTABLISHED.  
CENTER IN 442030N 0775530E, RADIUS 1000 M (0,54 NM), GND/5300FT  
AMSL.

H24.  
REF AIP ENR 5.1.  
F) GND

G) 5300FT AMSL

UAAK A0564/22

FROM: 22-02-17 05:32 TO: PERM

E) RESTRICTED AREA UAR6 COMPLETELY WITHDRAWN  
REF AIP ENR 5.1.  
F) GND

G) 7900FT AMSL

UCFO - OSH

NOTAM

NIL

---END OF DOCUMENT---